

## Vector Multiplication

**Unit:** Mathematics

**NGSS Standards:** N/A

**MA Curriculum Frameworks (2006):** N/A

**AP Physics 2 Learning Objectives:** N/A

**Skills:**

- dot product & cross product of two vectors

**Language Objectives:**

- Accurately describe and apply the concepts described in this section using appropriate academic language.

**Notes:**

With scalar (ordinary) numbers, there is only one way to multiply them, which you learned in elementary school. Vectors, however, can be multiplied in three different ways.

dot product: multiplication of two vectors that results in a scalar.

cross product: multiplication of two vectors that results in a new vector.

tensor product: multiplication of two vectors that results in a tensor. (A tensor is an array of vectors that describes the effect of each vector on each other vector within the array. We will not use tensors in a high school physics course.)

Use this space for summary and/or additional notes:

### Multiplying a Vector by a Scalar

Multiplying a vector by a scalar is like multiplying a variable by a number. The magnitude changes, but the direction does not. For example, in physics, displacement equals velocity times time:

$$\vec{d} = \vec{v}t$$

Velocity is a vector; time is a scalar. The magnitude is the velocity times the time, and the direction of the displacement is the same as the direction of the velocity.

### The Dot (Scalar) Product of Two Vectors

The scalar product of two vectors is called the “dot product”. Dot product multiplication of vectors is represented with a dot:

$$\vec{A} \bullet \vec{B}^*$$

The dot product of  $\vec{A}$  and  $\vec{B}$  is:

$$\vec{A} \bullet \vec{B} = AB \cos \theta$$

where  $A$  is the magnitude of  $\vec{A}$ ,  $B$  is the magnitude of  $\vec{B}$ , and  $\theta$  is the angle between the two vectors  $\vec{A}$  and  $\vec{B}$ .

For example, in physics, work (a scalar quantity) is the dot product of the vectors force and displacement (distance):

$$W = \vec{F} \bullet \vec{d} = Fd \cos \theta$$

---

\* pronounced “A dot B”

Use this space for summary and/or additional notes:

### The Cross (Vector) Product of Two Vectors

The vector product of two vectors is called the cross product. Cross product multiplication of vectors is represented with a multiplication sign:

$$\vec{A} \times \vec{B}^*$$


The cross product of vectors  $\vec{A}$  and  $\vec{B}$  that have an angle of  $\theta$  between them is given by the formula:

$$\vec{A} \times \vec{B} = AB \sin \theta \hat{n}$$

where the magnitude is  $AB \sin \theta$ , and the vector  $\hat{n}$  is the direction. ( $AB \sin \theta$  is a scalar. The unit vector  $\hat{n}$  is what gives the vector its direction.)

The direction of the cross product is a little difficult to make sense out of. You can figure it out using the “right hand rule”:

Position your right hand so that your fingers curl from the first vector to the second. Your thumb points in the direction of the resultant vector ( $\hat{n}$ ).



Note that this means that the resultant vectors for  $\vec{A} \times \vec{B}$  and  $\vec{B} \times \vec{A}$  will point in *opposite* directions, *i.e.*, the cross product of two vectors is not commutative!

$$\vec{A} \times \vec{B} = \vec{C}$$

$$\vec{B} \times \vec{A} = -\vec{C}$$


A vector coming out of the page is denoted by a series of  $\odot \odot \odot \odot \odot$  symbols, and a vector going into the page is denoted by a series of  $\otimes \otimes \otimes \otimes \otimes$  symbols. The symbols represent an arrow inside a tube. The dot represents the tip of the arrow coming toward you, and the “X” represents the fletches (feathers) on the tail of the arrow going away from you.)

---

\* pronounced “A cross B”

Use this space for summary and/or additional notes:

In physics, torque is a vector quantity that is derived by a cross product.



The torque produced by a force  $\vec{F}$  acting at a radius  $\vec{r}$  is given by the equation:

$$\vec{\tau} = \vec{r} \times \vec{F} = rF \sin\theta \hat{n}$$

Because the direction of the force is usually perpendicular to the displacement, it is usually true that  $\sin\theta = \sin 90^\circ = 1$ . This means the magnitude  $rF \sin\theta = rF(1) = rF$ . Using the right-hand rule, we determine that the *direction* of the resultant torque vector ( $\hat{n}$ ) is coming out of the page.

Thus, if you are tightening or loosening a nut or bolt that has right-handed (standard) thread, the torque vector will be in the direction that the nut or bolt moves.

### Vector Jokes

Now that you understand vectors, here are some bad vector jokes:

Q: What do you get when you cross an elephant with a bunch of grapes?

A:    $\sin\theta \hat{n}$


Q: What do you get when you cross an elephant with a mountain climber?

A: You can't do that! A mountain climber is a scalar ("scaler," meaning someone who scales a mountain).

Use this space for summary and/or additional notes:

### Homework Problems

For the following vectors  $\vec{A}$  &  $\vec{B}$ :



1. Determine  $\vec{A} \cdot \vec{B}$
  
  
  
  
  
  
  
  
  
  
2. Determine  $\vec{A} \times \vec{B}$  (both magnitude and direction)

Use this space for summary and/or additional notes: